

Individuals at High Risk for contracting the Coronavirus include those living in the same household as, being an intimate partner of, or providing care in a non-healthcare setting (such as a home) for a person with symptomatic laboratory-confirmed COVID-19 infection without using recommended precautions for home care and home isolation.

In **High Risk** cases, Sonoco facilities will take the following actions:

- Associates who <u>meet the high risk factors</u> will be asked to isolate and self-observe at home for 14 days before returning to work.
- Associates who <u>remain asymptomatic</u> for the 14-day period MUST still contact their HR manager PRIOR to returning to work.
- Associates who <u>experience symptoms during the 14-day period</u> MUST contact their HR Manager prior to returning to work.
- Associates with <u>confirmed COVID-19</u> or <u>who may be symptomatic and under monitoring MUST refrain from coming into the workplace and MUST report their condition to their HR manager by telephone.</u>
- Associates are <u>recommended to remain in isolation</u>, either at home or in a healthcare facility, until they are determined by <u>public health authorities</u> in coordination with CDC regulations to be no longer infectious.

Individuals at Medium Risk for contracting the virus include those who have had close contact with a person who is symptomatic after a laboratory-confirmed COVID-19 infection, but do not have criteria that meet a high-risk definition (see above).

This includes:

- Those who have come in close contact with a person diagnosed with the Coronavirus but who did not have laboratory testing.
- Anyone who has flown recently and was seated within 6 feet (two meters) of a traveler with symptomatic laboratory-confirmed COVID-19 infection (approximately within 2 seats in each direction).
- Someone who lives in the same household as, is an intimate partner of, or cares for a person in a non-healthcare setting (such as a home) who has symptomatic laboratory-confirmed COVID-19 infection but also uses the recommended precautions for home care and home isolation.

In Medium Risk cases, Sonoco facilities will take the following actions:

- Associates who are <u>asymptomatic with medium-risk exposures</u> are recommended to avoid congregate settings, limit public activities and practice social distancing.
- Asymptomatic associates with medium-risk exposures should <u>contact their HR manager</u> PRIOR to coming to work and may be asked to quarantine for the 14-day period.

Individuals at Low Risk for contracting the virus include those who were in the same indoor environment (e.g., a classroom, a hospital waiting room) as a person with symptomatic laboratory-confirmed COVID-19 for a prolonged period of time but who did not have close contact. Low Risk for contracting the virus also include those who were seated on an aircraft within two rows of a traveler with symptomatic laboratory-confirmed COVID-19 but not within 6 feet (2 meters) AND not having any exposures that meet a medium- or a high-risk definition (see above).

In Low Risk cases, Sonoco facilities will take the following actions:

- Associates with Low-Risk exposures are <u>not restricted from public places</u>, including workplaces, if they remain asymptomatic.
- Asymptomatic people with low-risk exposures may still be instructed to <u>self-observe until 14 days</u> after their last potential exposure.
- It is encouraged that associates with low-risk exposures <u>check their temperature each day</u> before arriving at work.